



NT 22/1 Ap Te L

Perfect for tradespeople: NT 22/1 Ap wet and dry vacuum cleaner with power outlet (with auto-start feature), strong suction power and semi-automatic cleaning system. Compact, light-weight entry-level device.



1

1 Low weight and compact dimensions

- The machine can be easily and conveniently transported and stored.



2

2 Semi-automatic filter cleaning

- Semi-automatic filter cleaning effectively ensures constantly high suction power.



3

3 Moisture-resistant PES cartridge filter

- It is possible to change from wet to dry vacuum cleaning easily without having to dry the PES cartridge filter first.



4

4 Socket for electric tools (with automatic start-up)

- The appliance's socket acts as a "remote control" for the vacuum cleaner.
- The vacuum cleaner starts automatically when the attached electric tool is started.



NT 22/1 Ap Te L

- Efficient semi-automatic filter cleaning
- Socket with automatic start-up for electric tools
- Moisture-resistant PES cartridge filter

Technical data

Order no.	1.378-610.0	
EAN code	4054278287935	
Current type	Ph / V / Hz	1 / 220 - 240 / 50 - 60
Air flow	l/s	71
Vacuum	mbar / kPa	255 / 25.5
Container content	l	22
Container material	Plastic	
Rated input power	W	1300
Standard nominal width	DN 35	
Cable length	m	6
Sound pressure level	dB(A)	72
Number of motors	1	
Weight	kg	6.1
Weight incl. packaging	kg	9.2
Dimensions (L × W × H)	mm	380 × 370 × 480

Equipment

Suction hose	m	1.9 / with bend
Suction tube	piece(s) × m	2 × 0.5 / Metal
Filter bag	piece(s)	1 / Fleece
Wet/dry floor nozzle	mm	300
Crevice nozzle	■	
Power tool connection adapter	■	
Automatic switch-on/off for electric devices	■	
Cartridge filter	PES	
Filter cleaning	ApClean (semi-automatic filter cleaning)	
Protection class	I	
Stop swivel castor	■	

■ Included in the scope of supply.

NT 22/1 AP TE L 1.378-610.0



		Order no.	Anzahl	Dummy	Dummy	Dummy	Price	Description	
Cartridge filter PES									
Cartridge filter packaged PES	1	2.889-219.0	1 piece(s)					Moisture-resistant PES cartridge filter for wet and dry vacuum cleaning. Dust class L-certified.	<input checked="" type="checkbox"/>
Fleece filter bags									
Fleece filter bags	2	2.889-217.0	5 piece(s)					Fleece filter bag, tear-resistant, for NT 22/1 Ap and NT 22/1 Ap Te machines. Dust class-L-certified.	<input type="checkbox"/>

Included in the scope of supply.
 Available accessories.

NT 22/1 AP TE L 1.378-610.0

KÄRCHER



		Order no.	Anzahl	Nennweite	Länge	Breite	Price	Description	
Bend, plastic									
Elbow, standard	1	2.889-199.0	1 piece(s)	35				Plastic bend, grey, with C 35 clip system.	■
Bend	2	2.889-148.0	1 piece(s)	35				Ergonomic bend for the new clip system. With airflow control slide, in an antistatic design.	□
Bend Adv, electrically conductive	3	2.889-168.0	1 piece(s)	35				Ergonomic bend for the new clip system. Electrically conductive design. Particularly suited to high concentrations of fine dust.	□
Bend Adv	4	2.889-170.0	1 piece(s)	35				Ergonomic bend for the new clip system.	□
Floor nozzles									
Wet/Dry floor nozzle standard	5	2.889-263.0	1 piece(s)	35		300 mm		Wet/Dry floor nozzle, NW 35, 300 mm wide, grey. Including brush strips and squeegees. Easy-to-change inserts.	■
Wet and dry floor nozzle Adv	6	2.889-152.0	1 piece(s)	35		360 mm		360 mm wide wet and dry floor nozzle with easy-to-change inserts. Including brush strips and squeegees.	□
Suction tubes, metal									
Suction tube, chrome-plated	7	6.902-074.0	1 piece(s)	35	505 mm			Suction tube, metal, chrome-plated, NW 35, length: 0.5 m.	■
Rubber suction tools, nose 45°									
Rubber suction tool, nose 45°	8	6.902-104.0	1 piece(s)	35	220 mm			For vacuuming machines, oil-resistant.	□
	9	6.902-105.0	1 piece(s)	40	220 mm			For vacuuming machinery, oil-resistant.	□
Car cleaning nozzles									
Car nozzle	10	6.906-108.0	1 piece(s)	35		90 mm		Plastic.	□
Crevice nozzles									
Crevice nozzle NT Tact DN 35	11	2.889-159.0	1 piece(s)	35	225 mm			Crevice nozzle ID 35, for new Tact range.	□
Suction tubes, stainless steel									
Suction tube set	12	2.889-175.0	2 piece(s)	35	505 mm			Stainless steel suction tube set, NW 35, 2-piece, each 0.55 m.	□
Suction tubes, plastic									
Suction tube set	13	2.889-218.0	2 piece(s)	35	505 mm			Plastic suction tube set, NW 35, grey, 2-piece, each 0.5 m.	□

■ Included in the scope of supply. □ Available accessories.

NT 22/1 AP TE L 1.378-610.0



		Order no.	Anzahl	Breite			Price	Description	
Other									
Adapter clip new on clip old DN 35	1	2.889-312.0							<input type="checkbox"/>
Drilling dust nozzle	2	2.679-000.0	1 piece(s)					Drill dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.


NT 22/1 AP TE L 1.378-610.0



		Order no.	Anzahl	Nennweite	Länge	Price	Description	
Complete suction hoses (clip system)								
Suction hose	1	2.889-134.0	1 piece(s)	35	2.5 m		2.5 m suction hose with new bayonet and clip fastener.	<input type="checkbox"/>
Electrically conductive suction hose	2	2.889-136.0	1 piece(s)	35	2.5 m		Electrically conductive suction hose with new bayonet and clip fastener. Length: 2.5 m.	<input type="checkbox"/>
Extension hoses (clip system)								
Extension hose	3	2.889-145.0	1 piece(s)	35	2.5 m		Extension hose for new clip system ID 35. Length: 2.5 m.	<input type="checkbox"/>

Included in the scope of supply.
 Available accessories.

NT 22/1 AP TE L 1.378-610.0



		Order no.	Anzahl	Nennweite			Price	Description	
Connection adapter C ID (clip to cone), electrically conductive									
Adapter clip DN 35 on cone DN 35	1	5.407-005.0							<input type="checkbox"/>
Adapter clip DN 40 on cone DN 35	2	5.407-006.0		DN 40					<input type="checkbox"/>
Connection adapter for power tools, clip-on, electrically conductive									
Tool collar DN 35, clip-on	3	2.889-151.0	1 piece(s)	35				Tool adapter with a rubber fixture and airflow control slide for the new clip system. Suitable for all current electric tools.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.